

**Norsonic AS**

P.O.Box 24  
 N-3421 Lierskogen, Norway  
 Tel. +47 3285 8900, Fax +47 3285 2208  
[www.norsonic.com](http://www.norsonic.com), [info@norsonic.com](mailto:info@norsonic.com)




Customer:

**Clinica veterinario MILANO**

M2 SOLO CONDIZIONATORE

<b>Microphone position:</b>	Idem come M1	<b>Operator:</b>	SORGEDIL
<b>Measurement title:</b>	NOR140_FILE_150318_0002	<b>Date:</b>	18/03/2015 14:42:25
<b>Measurement duration:</b>	0 00:01:12.000	<b>Period length:</b>	0 00:00:00.250
<b>Initial calibration level:</b>		<b>Filter bandwidth:</b>	1/3-octave
	<b>Instrument sensitivity:</b>	<b>End calibration level:</b>	
			-26,0 dB



**Specialista nell'isolamento acustico**


Via V. Emanuele N°7  
 22060 Cabiato (CO)  
 Tel. 031.75.69.50 Fax. 0312281356  
 Cel. 339.13.69.788  
 P.IVA 03208620132  
 C.F. SRGVTR79M15F205V  
[www.isolamentoacusticomi.it](http://www.isolamentoacusticomi.it)  
[E-mail. info@isolamentoacusticomi.it](mailto:info@isolamentoacusticomi.it)

**Norsonic AS**

P.O.Box 24

N-3421 Lierskogen, Norway

Tel. +47 3285 8900, Fax +47 3285 2208

[www.norsonic.com](http://www.norsonic.com), [info@norsonic.com](mailto:info@norsonic.com)

	Leq (dB)	LF(max) (dB)	LF(min) (dB)	LI(max) (dB)	LF,10,0% (dB)	LF,95,0% (dB)
A	58,6 dB	69,0 dB	57,4 dB	71,7 dB	58,8 dB	57,9 dB
Z	74,1 dB	90,3 dB	68,3 dB	92,6 dB	72,7 dB	69,1 dB
FRQ						
6,30 Hz	51,5 dB	65,7 dB	32,5 dB	67,5 dB	53,8 dB	39,0 dB
8 Hz	54,6 dB	73,5 dB	31,2 dB	75,0 dB	49,7 dB	35,6 dB
10 Hz	66,1 dB	85,2 dB	29,5 dB	86,5 dB	49,6 dB	35,3 dB
12,5 Hz	62,9 dB	80,5 dB	37,6 dB	82,4 dB	54,6 dB	43,4 dB
16 Hz	63,7 dB	78,6 dB	48,3 dB	79,9 dB	65,3 dB	52,4 dB
20 Hz	56,8 dB	74,7 dB	41,9 dB	76,5 dB	57,3 dB	47,9 dB
25 Hz	54,8 dB	74,6 dB	38,8 dB	76,2 dB	52,5 dB	42,8 dB
31,5 Hz	49,9 dB	67,8 dB	33,5 dB	69,9 dB	46,1 dB	36,9 dB
40 Hz	49,0 dB	65,1 dB	45,5 dB	68,1 dB	48,9 dB	46,5 dB
50 Hz	63,2 dB	68,8 dB	61,2 dB	70,7 dB	63,7 dB	62,3 dB
63 Hz	47,2 dB	59,8 dB	41,1 dB	61,6 dB	48,0 dB	43,6 dB
80 Hz	53,0 dB	58,2 dB	49,8 dB	60,5 dB	54,2 dB	51,1 dB
100 Hz	65,8 dB	68,2 dB	63,1 dB	69,5 dB	67,1 dB	63,8 dB
125 Hz	53,0 dB	57,1 dB	48,1 dB	58,9 dB	54,2 dB	50,9 dB
160 Hz	51,5 dB	57,4 dB	47,1 dB	60,8 dB	52,8 dB	49,3 dB
200 Hz	49,3 dB	55,8 dB	45,2 dB	58,5 dB	50,8 dB	47,0 dB
250 Hz	52,3 dB	59,1 dB	48,0 dB	60,5 dB	53,3 dB	50,2 dB
315 Hz	56,1 dB	59,3 dB	53,1 dB	61,4 dB	57,4 dB	54,2 dB
400 Hz	52,3 dB	56,3 dB	49,1 dB	59,1 dB	53,5 dB	50,6 dB
500 Hz	52,6 dB	55,6 dB	48,7 dB	61,8 dB	53,9 dB	50,3 dB
630 Hz	49,9 dB	56,0 dB	46,9 dB	58,0 dB	51,1 dB	48,2 dB
800 Hz	50,6 dB	64,9 dB	47,0 dB	67,5 dB	51,1 dB	49,0 dB
1 kHz	48,3 dB	65,8 dB	45,3 dB	68,9 dB	48,3 dB	46,3 dB
1,25 kHz	45,7 dB	49,0 dB	43,5 dB	56,9 dB	46,5 dB	44,6 dB
1,6 kHz	44,6 dB	52,0 dB	42,5 dB	54,3 dB	45,3 dB	43,3 dB
2 kHz	43,2 dB	56,5 dB	41,0 dB	59,3 dB	43,6 dB	42,0 dB
2,5 kHz	43,2 dB	47,3 dB	41,5 dB	49,9 dB	44,0 dB	42,1 dB
3,15 kHz	42,1 dB	48,1 dB	40,4 dB	50,8 dB	42,7 dB	41,2 dB

**Specialista nell'isolamento acustico**

Via V. Emanuele N°7

22060 Cabiante (CO)

Tel. 031.75.69.50 Fax. 0312281356

Cel. 339.13.69.788

P.IVA 03208620132

C.F. SRGVTR79M15F205V

[www.isolamentoacusticomi.it](http://www.isolamentoacusticomi.it)[E-mail. info@isolamentoacusticomi.it](mailto:info@isolamentoacusticomi.it)

**Norsonic AS**

P.O.Box 24

N-3421 Lierskogen, Norway

Tel. +47 3285 8900, Fax +47 3285 2208

[www.norsonic.com](http://www.norsonic.com), [info@norsonic.com](mailto:info@norsonic.com)

4 kHz	38,2 dB	43,7 dB	36,5 dB	46,2 dB	38,9 dB	37,1 dB
5 kHz	35,3 dB	40,8 dB	33,0 dB	42,8 dB	36,3 dB	34,0 dB
6,3 kHz	34,7 dB	39,3 dB	32,4 dB	41,5 dB	35,6 dB	33,3 dB
8 kHz	35,1 dB	38,1 dB	33,1 dB	40,4 dB	35,9 dB	33,9 dB
10 kHz	35,0 dB	37,3 dB	33,0 dB	39,2 dB	35,8 dB	33,8 dB
12,5 kHz	36,5 dB	39,6 dB	35,0 dB	41,1 dB	37,1 dB	35,6 dB
16 kHz	40,6 dB	43,4 dB	39,2 dB	44,3 dB	41,1 dB	39,9 dB
20 kHz	30,3 dB	32,6 dB	28,8 dB	33,7 dB	30,9 dB	29,5 dB

**Specialista nell'isolamento acustico**

Via V. Emanuele N°7

22060 Cabiato (CO)

Tel. 031.75.69.50 Fax. 0312281356

Cel. 339.13.69.788

P.IVA 03208620132

C.F. SRGVTR79M15F205V

[www.isolamentoacusticomi.it](http://www.isolamentoacusticomi.it)[E-mail. info@isolamentoacusticomi.it](mailto:info@isolamentoacusticomi.it)