

**Norsonic AS**

P.O.Box 24  
 N-3421 Lierskogen, Norway  
 Tel. +47 3285 8900, Fax +47 3285 2208  
[www.norsonic.com](http://www.norsonic.com), [info@norsonic.com](mailto:info@norsonic.com)




Customer:

Clinica veterinario – MILANO

M5 ACCANTO ALLA PORTA AUTOCLAVE

<b>Microphone position:</b>	Cavalletto h 1.6 in cantina	<b>Operator:</b>	SORGEDIL
<b>Measurement title:</b>	NOR140 FILE 150318 0005	<b>Date:</b>	18/03/2015 15:00:26
<b>Measurement duration:</b>	0 00:01:18.000	<b>Period length:</b>	0 00:00:00.250
<b>Initial calibration level:</b>		<b>Filter bandwidth:</b>	1/3-octave
	<b>Instrument sensitivity:</b>	-26,0 dB	<b>End calibration level:</b>



# SORGEDIL

**Specialista nell'isolamento acustico**


Via V. Emanuele N°7  
 22060 Cabiato (CO)  
 Tel. 031.75.69.50 Fax. 0312281356  
 Cel. 339.13.69.788  
 P.IVA 03208620132  
 C.F. SRGVTR79M15F205V  
[www.sorgedil.it](http://www.sorgedil.it)  
 E-mail. [sorgedil@gmail.com](mailto:sorgedil@gmail.com)

**Norsonic AS**

P.O.Box 24

N-3421 Lierskogen, Norway

Tel. +47 3285 8900, Fax +47 3285 2208

[www.norsonic.com](http://www.norsonic.com), [info@norsonic.com](mailto:info@norsonic.com)

	Leq (dB)	LF(max) (dB)	LF(min) (dB)	LI(max) (dB)	LF,10,0% (dB)	LF,95,0% (dB)
A	63,0 dB	72,0 dB	60,1 dB	73,5 dB	63,5 dB	61,7 dB
Z	72,2 dB	94,1 dB	62,8 dB	97,4 dB	72,8 dB	64,3 dB
FRQ						
6,30 Hz	62,3 dB	84,0 dB	32,6 dB	85,4 dB	55,9 dB	38,4 dB
8 Hz	63,4 dB	84,7 dB	36,3 dB	86,1 dB	61,8 dB	41,8 dB
10 Hz	63,0 dB	80,5 dB	28,0 dB	82,0 dB	65,9 dB	35,6 dB
12,5 Hz	59,1 dB	74,4 dB	28,6 dB	76,0 dB	60,9 dB	35,1 dB
16 Hz	58,6 dB	77,8 dB	34,5 dB	79,5 dB	61,8 dB	40,0 dB
20 Hz	56,2 dB	67,8 dB	30,1 dB	69,0 dB	59,9 dB	36,1 dB
25 Hz	46,8 dB	59,4 dB	23,9 dB	60,9 dB	50,4 dB	31,8 dB
31,5 Hz	39,9 dB	56,0 dB	28,1 dB	58,5 dB	42,1 dB	32,7 dB
40 Hz	52,5 dB	65,0 dB	38,2 dB	68,0 dB	56,2 dB	44,4 dB
50 Hz	60,9 dB	75,0 dB	45,6 dB	76,3 dB	63,9 dB	51,7 dB
63 Hz	49,9 dB	59,5 dB	27,8 dB	62,3 dB	55,2 dB	33,6 dB
80 Hz	41,1 dB	56,9 dB	24,1 dB	60,6 dB	44,9 dB	28,6 dB
100 Hz	45,3 dB	57,6 dB	30,9 dB	60,8 dB	49,3 dB	35,1 dB
125 Hz	46,7 dB	63,6 dB	32,2 dB	66,2 dB	50,7 dB	34,4 dB
160 Hz	42,0 dB	62,7 dB	32,0 dB	66,4 dB	43,7 dB	34,6 dB
200 Hz	42,8 dB	60,9 dB	35,5 dB	64,7 dB	44,8 dB	37,8 dB
250 Hz	53,5 dB	59,6 dB	49,3 dB	62,3 dB	54,9 dB	51,1 dB
315 Hz	43,7 dB	55,7 dB	38,6 dB	57,8 dB	45,5 dB	40,6 dB
400 Hz	48,3 dB	62,3 dB	43,4 dB	64,6 dB	49,6 dB	45,0 dB
500 Hz	47,4 dB	60,7 dB	40,9 dB	63,3 dB	49,6 dB	43,1 dB
630 Hz	45,2 dB	60,7 dB	38,8 dB	62,3 dB	46,5 dB	41,0 dB
800 Hz	47,9 dB	57,2 dB	44,0 dB	59,5 dB	49,6 dB	45,6 dB
1 kHz	55,8 dB	60,8 dB	52,1 dB	63,1 dB	57,0 dB	54,1 dB
1,25 kHz	53,3 dB	59,7 dB	50,4 dB	62,3 dB	54,9 dB	51,4 dB
1,6 kHz	54,0 dB	60,9 dB	50,6 dB	62,9 dB	54,8 dB	52,6 dB
2 kHz	55,0 dB	69,2 dB	50,8 dB	71,1 dB	55,3 dB	52,6 dB
2,5 kHz	53,2 dB	59,9 dB	49,6 dB	62,3 dB	54,3 dB	51,2 dB
3,15 kHz	48,2 dB	57,4 dB	44,8 dB	59,3 dB	48,8 dB	46,6 dB

The logo for SORGEDIL, with 'SOR' in black, 'GEDI' in red, and 'L' in black, all in a bold, sans-serif font.

**Specialista nell'isolamento acustico**

Via V. Emanuele N°7

22060 Cabiato (CO)

Tel. 031.75.69.50 Fax. 0312281356

Cel. 339.13.69.788

P.IVA 03208620132

C.F. SRGVTR79M15F205V

[www.sorgedil.it](http://www.sorgedil.it)E-mail. [sorgedil@gmail.com](mailto:sorgedil@gmail.com)

**Norsonic AS**

P.O.Box 24

N-3421 Lierskogen, Norway

Tel. +47 3285 8900, Fax +47 3285 2208

[www.norsonic.com](http://www.norsonic.com), [info@norsonic.com](mailto:info@norsonic.com)

4 kHz	45,9 dB	56,1 dB	42,9 dB	57,9 dB	46,5 dB	44,1 dB
5 kHz	44,7 dB	57,1 dB	40,6 dB	59,1 dB	45,3 dB	42,4 dB
6,3 kHz	43,3 dB	57,7 dB	39,9 dB	59,9 dB	43,6 dB	40,9 dB
8 kHz	43,0 dB	60,1 dB	38,8 dB	63,2 dB	42,8 dB	39,8 dB
10 kHz	38,3 dB	54,5 dB	34,7 dB	57,0 dB	38,1 dB	35,9 dB
12,5 kHz	34,8 dB	53,3 dB	31,0 dB	56,2 dB	34,7 dB	32,3 dB
16 kHz	29,0 dB	48,2 dB	25,5 dB	50,9 dB	29,1 dB	26,2 dB
20 kHz	26,4 dB	44,9 dB	21,6 dB	47,7 dB	27,2 dB	23,0 dB

**SORGEDIL****Specialista nell'isolamento acustico**

Via V. Emanuele N°7

22060 Cabiato (CO)

Tel. 031.75.69.50 Fax. 0312281356

Cel. 339.13.69.788

P.IVA 03208620132

C.F. SRGVTR79M15F205V

[www.sorgedil.it](http://www.sorgedil.it)E-mail. [sorgedil@gmail.com](mailto:sorgedil@gmail.com)